

FAN HEATER 950 W CR130

13051.0-00 CR 130 950W Fan heater with thermostat, 230V ac, 0-60°C

- Compact design
- Double casing
- Integrated thermostat or hygrostat
- Optional DIN mount or screw fixing



PRODUCT DESCRIPTION

The CR130 is a compact and high performance heat fan.

The heat exchanger prevents condensation and frost, as well as providing evenly distributed internal air temperature in ex. cabinets with electrical / electronic components.

A very suitable application is different types of ticket machines or other service machines (coffee, food, etc.) which may be placed in an environment where it is important to maintain a good climate.

Heat fan CR130 has a large fan with high air volume that quickly distributes airflow, thus drying the air efficiently. It has two mounting options in the same device. Either it can be mounted on DIN rail or with screw mounting on the wall.

The design is modern and functional. It is double insulated with a plastic casing, which makes the side surfaces not so hot. Therefore, the heater can be mounted relatively close to other products in the same application and that you do not have to worry about burns. The double insulation also causes the ground heater to escape.

SPECIFICATIONS

Air Capacity	160 m³/h
Approvals	CE, cULus, Gost R, RoHS, UL, UL E234324, VDE
Control range temperature from	0 °C
Control range temperature to	60 °C
Depth	182 mm
Drag Torque For Cable	0.8
Flamklass	UL94-V0
Frequenze	50/60 Hz
Heat Output	950 W
Heater	Aluminium, Plastic

Height	99 mm
Humidity Storage	<90% RH
IP Class	IP20
Life span	50 000 h @ +25°C
Material of body	Aluminium
Nominal voltage	230 V AC
Number of fans	1
Operating Humidity	< 90% RH
Operational Temperature	-45°C +70°C
Operational Temperature Pre fuse (slow)	-45°C +70°C 6.3 A
Pre fuse (slow)	6.3 A
Pre fuse (slow) Protection Class	6.3 A II (double insulated)
Pre fuse (slow) Protection Class Storage temperature	6.3 A II (double insulated) -45°C +70°C
Pre fuse (slow) Protection Class Storage temperature Weight	6.3 A II (double insulated) -45°C +70°C 1.5 kg

