



AUER - PANEL MOUNTED BUZZER

812510310

Buzzer/ESV/110-120 V AC IP65

- Panel mounted buzzer with loud sound level
- Adjustable volume
- 3 selectable sound signals
- For mounting in drilled holes 22.5 mm or 30.5 mm



PRODUCT DESCRIPTION

Panel mounted buzzer with wide voltage range and high enclosure class, IP65. Excellent when you want to call for extra attention in a panel.

SPECIFICATIONS

| | |
|----------------------------|---------------------|
| Color House | Black |
| Diameter | 30 mm |
| IP Class | IP65 |
| Nominal current max | 0.035 A |
| Number Of Optional Modules | 0 |
| Number of tones | 2 |
| Operating Voltage AC Max | 140 V AC |
| Operating Voltage AC Min | 75 V AC |
| Sound level max | 85 dB |
| Sound level min | 80 dB |
| Temperature range from | -25 °C |
| Temperature range to | 60 °C |
| Terminal connection | 2.5 mm ² |
| Tone frequency max | 3500 Hz |

| | |
|--------------------|-------|
| Tone frequency min | 50 Hz |
| Weight | 30 g |


The sound pressure decreases by 6 dB when doubling the distance; the following distance table is to be seen as indication, as also factors like tone type, wind speed, wind direction, humidity, weather conditions etc. do influence the sound pressure level.

| Distance (m) | Sound pressure dB (A) | | | | | | | | | | | | | | | | | | | |
|--------------|-----------------------|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 65 | 70 | 75 | 80 | 85 | 90 | 92 | 94 | 96 | 98 | 100 | 102 | 104 | 106 | 108 | 110 | 112 | 114 | 116 | 120 |
| 2 | 59 | 64 | 69 | 74 | 79 | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 | 102 | 104 | 106 | 108 | 110 | 114 |
| 3 | 55 | 60 | 65 | 70 | 75 | 80 | 82 | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 | 102 | 104 | 106 | 110 |
| 5 | 51 | 56 | 61 | 66 | 71 | 76 | 78 | 80 | 82 | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 | 102 | 104 |
| 10 | 45 | 50 | 55 | 60 | 65 | 70 | 72 | 74 | 76 | 78 | 80 | 82 | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 100 |
| 20 | 39 | 44 | 49 | 54 | 59 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 | 84 | 86 | 88 | 90 | 94 |
| 30 | 35 | 40 | 45 | 50 | 55 | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 | 84 | 86 | 90 |
| 50 | 36 | 41 | 46 | 51 | 56 | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 | 84 | 86 | |
| 100 | | | | | 40 | 45 | 50 | 52 | 54 | 56 | 58 | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 78 |
| 200 | | | | | 39 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 | 60 | 62 | 64 | 66 | 68 | 70 | 72 |
| 500 | | | | | | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 | 60 | 62 | 64 | 66 |

The sound pressure decreases by 6 dB when doubling the distance



Justerbar volym
med hjälp av
potentiometer,
(ej ESK.)



The sound pressure decreases by 6 dB when doubling the distance; the following distance table is to be seen as indication, as also factors like tone type, wind speed, wind direction, humidity, weather conditions etc. do influence the sound pressure level.

| Distance (m) | Sound pressure dB (A) | | | | | | | | | | | | | | | | | | | |
|--------------|-----------------------|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 65 | 70 | 75 | 80 | 85 | 90 | 92 | 94 | 96 | 98 | 100 | 102 | 104 | 106 | 108 | 110 | 112 | 114 | 116 | 120 |
| 2 | 59 | 64 | 69 | 74 | 79 | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 | 102 | 104 | 106 | 108 | 110 | 114 |
| 3 | 55 | 60 | 65 | 70 | 75 | 80 | 82 | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 | 102 | 104 | 106 | 110 |
| 5 | 51 | 56 | 61 | 66 | 71 | 76 | 78 | 80 | 82 | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 98 | 100 | 102 | 104 |
| 10 | 45 | 50 | 55 | 60 | 65 | 70 | 72 | 74 | 76 | 78 | 80 | 82 | 84 | 86 | 88 | 90 | 92 | 94 | 96 | 100 |
| 20 | 39 | 44 | 49 | 54 | 59 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 | 84 | 86 | 88 | 90 | 94 |
| 30 | 35 | 40 | 45 | 50 | 55 | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 | 84 | 86 | 90 |
| 50 | 36 | 41 | 46 | 51 | 56 | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 76 | 78 | 80 | 82 | 84 | 86 | |
| 100 | | | | | 40 | 45 | 50 | 52 | 54 | 56 | 58 | 60 | 62 | 64 | 66 | 68 | 70 | 72 | 74 | 78 |
| 200 | | | | | 39 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 | 60 | 62 | 64 | 66 | 68 | 70 | 72 |
| 500 | | | | | | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58 | 60 | 62 | 64 | 66 |

The sound pressure decreases by 6 dB when doubling the distance



Justerbar volym
med hjälp av
potentiometer,
(ej ESK.)

