

QG65 TILT SWITCH, SINGLE OR TWIN AXIS, HIGH ACCURACY

QG65-KD-030H-CAN-CFM

Inclination sensor, $\pm 30^\circ$, 2-axis, CAN output

- Twin axis
- $\pm 30^\circ$, $\pm 90^\circ$ or 360° , other measuring ranges available
- CANopen output, CANopen SIL2/PLd and 0,5-4,5 V or 4-20 mA also available
- IP67 rated




PRODUCT DESCRIPTION

QG-series inclinometers measure the angle with respect to the direction of the force of gravity in one or two axes. Inclinometers from the DIS Sensors QG series are based on robust MEMS technology, and their modular design makes it easy to optimize each sensor for a specific application. What's more, for certain models, the handy configurator enables the end customer to easily adjust the sensor according to preference.

Inclinometers are used in various applications where angle measurement is crucial, such as concrete pumps, cranes, elevated work platforms, solar panels, air suspension systems and agricultural machinery. Housing options include plastic, aluminium and stainless steel.

Measurement orientation:



SPECIFICATIONS

TECHNICAL DATA

Measuring Range	$\pm 30^\circ$
Number of axis	2
Output	CANopen
Connection Thread	M12
Voltage DC max	30 V
Voltage DC min	10 V
Central Material	Plastic

Width	60 mm
Length	50 mm
Height	27 mm
Accuracy	0.04 °
Resolution	0.01 °
Temperature effect	0.005 °/K
Temperature range from	-40 °C
Temperature range to	85 °C
Approvals	CE

